





















REF	Item	Description
1001-1	Competition parallel bars	Parallel bars for top level competitions with reinforced frame and 350 cm bars. Height adjusts between 165 and 210cm, Distance between bars adjusts between 37 and 65cm. With wood Veneered Fiberglass Rails. 
1001-D	Parallel bars for training	Teenagers gymnastics training equipment, bar length 350cm, two bars spaced 32-60cm, height adjustable 155-210cm, bars oval glass pipe, the outer covering high wear wooden pages; steel frame body spray. 
1001-2	Low bars	Height: 40cm.Distance between bars adjusts between 27 and 55cm, rail length 350cm, with wood Veneered Fiberglass Rails., it's for auxiliary and special strength exercise. 
1001-3	Low bars	Height: 40cm.Distance between bars adjusts between 27 and 55cm, rail length: 270cm, with wood Veneered Fiberglass Rails. It's for auxiliary exercise. 




REF	Item	Description
1001-4	Parallel Bars Training Blocks	Block size: 138 x50 x 120cm, the distance between two blocks adjusts between 40 and 80cm. 
1003	Junior parallel bars	Height adjustable between 125 and 165cm.Distance between bars adjusts between 27 and 55cm, Length of rail: 270cm. 
1001-7	Release move mat for parallel bars	Outside diameter: 20cm, inside diameter: 6cm, length: 120cm. Outside folder Cotton, inside PVC leather. 
1029	Wood Veneered Fiberglass Rails	For 1001-1 competition parallel bars, Length 350cm.
1029-1	Wooden Rails (Central cable.)	Length 350cm. with central security cable.





REF	Item	Description
1054	Height Adjustable Spotting Platform for Parallel Bars	Platform Dimensions: 244x25cm, Height adjustable between 55 and 80cm. 
1055-1	Protecting table	Divided into 5 storeys. Dimensions for each storey 150x60x25cm, XPE inside. 
1063	Landing Soft mat	Polymeric sponge, Dimensions:200x200x10 cm 
1103	Transport Trolley for Parallel Bars	Used for carrying gymnastic equipment, made by high strength plywood, include four wheels 
1183	Safety Pads for Parallel Bars Posts	Thickness: 5cm length 990cm, top width 28cm, bottom width 36cm.
1055-3	Ladder platform	3 layers, trapezium, top width 60*60cm, bottom width 75*75cm, height 90cm, XPE material inside

REF	Item	Description
		
1001-5	Parallel Bars crash mat	<p>Training mat especially designed for practicing all acrobatic elements on the parallel bars. Designed to help in learning stages, the U-shaped mat fits over the bars and move into place automatically when the gymnast performs a flight element or dismount.</p> <p>The mat has been created to provide sufficient cushioning when gymnasts land on their backs or stomachs and is firm enough for upright landings. Promotes smooth, fast progression.</p> <p>Length 150cm, width 90cm, Height 15cm.</p> 
1005	Competition horizontal bar-including rail and tension Chains	<p>Competition standard - Height adjustable between 270 and 290cm, spring steel rail without rail cover. Center distance 240cm,diameter of section:2.8cm.</p> 
1006-1	Training horizontal bar (Junior horizontal bar)	<p>Height adjustable between 180 and 230cm, stainless steel rail without rail cover. Diameter of section:2.8cm. Center distance 240cm.</p>





REF	Item	Description
		
1028	Steel Rail for Horizontal Bar 1005	Total length 246cm, effective length 240cm, diameter of section: 2.8 cm, stainless spring steel rail without rail cover.
1038	Quick Release Horizontal Bar with men's or women's rail and tension system	Height adjustable between 150 and 280cm, stainless spring steel rail without rail cover. Diameter of section: 2.8cm. Center distance 240cm, Easy replace rail cover and adjust height via rapid tensioner.
		
1026	Steel Rail for Horizontal Bar 1038	Total length 246cm, effective length 240cm, diameter of section: 2.8 cm, stainless spring steel rail without rail cover.
1038-2	Quick Release Horizontal Bar with men's rail and tension system	For junior, height adjustable between 150 and 230cm, distance between uprights 240cm, diameter 2.8cm.
		
1055	Height adjustable spotting platform for horizontal bar	Dimensions: 100x45cm,,Height adjustable between 140 and 180cm.





REF	Item	Description
		
1055-2	Higher spotting platform for horizontal bar	<p>Protection equipment, mounted on horizontal bar uprights, with a ladder. Table height 200cm, table size 50 x 35cm.</p> 
1055-1	Protecting table	<p>Divided into 5 storeys. Dimensions for each storey 150x60x25cm, XPE material inside</p> 
1108	Safety pads for horizontal bar 1005	<p>XPE material, length 200cm, bottom width 51cm, top width 33cm.</p>







REF	Item	Description
		
1109	Single tension system for horizontal bar	For training, length 250cm, new model length 280cm
1110	Quick Tension Release for Cables	For adjust horizontal bar, uneven bar and ring's height. 
1114	Release move mat for horizontal bar	Length 120cm outside diameter 20cm inside diameter 3cm, polyester sponge inside. 
1116	Frame protector for High Bars and Uneven Bars	Made of steel tubes, height 550cm, width 240cm, fitted with pulley, rope and spotting belt.
1184	sheath for chain	Protect the equipments, PVC leather outside ,diameter 2cm XPE material inside
1007	Competition Uneven Bars	Competition standard. Width Adjustable between 130-190cm, height adjustable of Low Bar between 140 and 180cm, height adjustable for High Bar between 220 and 260cm,outside diameter of rail cover 4cm.

REF	Item	Description
		
1037	Junior Uneven bars	No need floor anchor to install, the frame length 200cm, width 255cm, width adjustment 60-140cm, low bar height adjustable 140-170cm, high bar height adjustable 210-240cm. with standard women's bars. 
1018	Single Rail Bar	Height adjustable between 220 and 265cm,diameter of section 4cm. 
1019	Single Rail Bar	Height adjustable between 140 and 185cm, diameter of section 4cm.. 
1030	Fiberglass Rail with Wood Veneer bar for 1007	Length 246cm, diameter 4cm, distance between uprights 240cm
1038-1	Quick Release Horizontal Bar with men's or women's rail and tension system	Diameter 4cm,height adjustable between 150 and 280cm, distance between uprights 240cm.












REF	Item	Description
		
1038-3	Quick Release single Bar with women's rail and tension system	For junior, height adjustable between 150 and 230cm, diameter 4cm, distance between uprights 240cm. 
1046	Landing soft mat	Competition standard, Dimensions: 400x200x10 cm, Polyester sponge. 
1055-1	Protecting table	Divided into 5 storeys. Dimensions for each storey 150x60x25cm, XPE material inside. 
1110	Quick Tension Release for Cables	For adjust horizontal bar, uneven bar and ring's height
1111	Safety Pads for Uneven Bar Posts	For protecting uneven bar, low bar length 110cm, width 20cm; high bar length 190cm, width 20cm.
1111-1	Release move mat for Uneven Bars	Outside diameter: 20cm, inside diameter 4.5cm, length: 120cm. Polyester sponge inside
1112	Double tension rope for uneven bar	length 445cm

REF	Item	Description
1138	Height adjustable spotting platform for uneven bars	<p>Dimensions: 100x45cm, Height adjustable between 140 and 180cm.</p> 
1116	protecting frame for gymnastic equipments	Height 550cm, width 240cm.
1184	sheath for chain	Protect the equipments, PVC leather outside ,diameter 2cm XPE material inside
1009	Competition Balance Beam	<p>Height adjustable between 90 and 140cm,length 500cm. Aluminum beam.</p> 
1009-2	Wood balance beam	<p>For Baby Gymnastics Length 183cm,width 10cm,height 30cm.</p> 
1009-3	Wood balance beam	<p>Length 305cm,width 10cm,height 30cm.</p> 





REF	Item	Description
1009-4	Floor Roll-out Balance Beam,	Length 250cm,the upper width 15cm,the lower width 24cm,height 8cm, made of foam and PU leather. 
1009-P	PU mat for balance beam	Dimensions: 100x100x1.5 cm. 
1166	Thin pad of balance beam	Protection for the movement, can be perfectly wrapped around the balance beam, length 100cm, thickness 1.5cm, encircle the need to protect the position of the balance beam during use. 
1009-P1	Release layer for balance beam	PU strip stick with Aluminum beam.
1009-P2	PU cover for balance beam	PU leather, anti-slip and waterproof.
1010	Low Training Beam	Length: 300cm, Height 30cm 
1010-1	Low Training Beam	Length: 500cm, Height 30cm. 
1063	Landing Soft mat	polymeric sponge, Dimensions:200x200x10 cm. 

REF	Item	Description
1103	Transport Trolley for Parallel Bars	Used for carrying gymnastic equipment, made by high strength plywood, include four wheels. 
1115	Leg Pads for Balance Beam	Thickness 3cm. 
1118	Surface Enlargement for Balance Beam	Length: 250cm, Width: 15cm 
1144	Padded Beam Throw Mat	Length: 90cm,thickness 4cm
1046	Landing soft mat	Competition standard, Dimensions: 400×200×10 cm, Polyester sponge. 
1011	Competition Vaulting Table with Two Legs	Height adjustable between 105 and 140cm,width 94cm





REF	Item	Description
		
1011-1	Safety Pads for vaulting table two leg	Thickness 3cm
1012	Competition vaulting table one leg	Competition standard - Height adjustable between 105 and 135cm, air pressure system. Platform width 94cm 
1012-1	Safety mat for vaulting table one leg	Thickness 20-30cm, surrounding vaulting table one leg
1027	landing soft mat for vaulting table	dimensions 600×200×10cm
1049	Hand mat for vaulting table	dimensions 118×98×3cm 
1056	High-elastic vaulting table	For training, height 40cm-130cm, width 95cm, fitted with elastic device. 
1146	Competition vaulting runway	2500x100x2.5cm




REF	Item	Description
		
1149	Foam vaulting table	L120xW95xH135cm, height is adjustable, MAX height 135cm 
1013	Competition Pommel Horse	Competition standard - Height 95-145cm, leather cover, with transport system. 
1013-1	Leg Pads for Pommel Horse	Thickness:3cm 
1014	Training Pommel Horse	Competition standard - Height 95-145cm,PVC leather cover, with transport system. 
1020-1	Floor Pommel Horse	Length 160cm, Width 35cm,Height 28cm,PU leather.



REF	Item	Description
		
1022	Mushroom	Height: 45cm, Diameter 60cm 
1023	Floor Buck Horse with 2 Pommels	Dimensions 83x35x32cm 
1024	Mushroom with 1 pommel	Height 45cm, Diameter 58.5cm 
1025	Floor Buck Horse with 1 Pommel	Dimensions 60x35x32cm 
1051	Low buck Horse	Length 43cm, Width 30cm, Height 32cm 

REF	Item	Description
1057-1	Landing mats for Height Adjustable Mushroom	300x300x10cm, total area 9 m <sup>2</sup>
1057-2	Mushroom with 1 pommel(adjustable)	Height adjustable between 62 and 82cm, diameter 58.5cm
1058	Pommels with fixing bolt	Part of pommel, base made by aluminum, handle made by nylon 
3001	Wall fixed mushroom	For training, mushroom diameter 60cm, fixed height 250-300cm. 
1092	Chinese Circle Machine	Diameter 190 cm , Height 77 cm 
1103	Transport Trolley for Parallel Bars	Used for carrying gymnastic equipment, made by high strength plywood, include four wheels 
1121	Floor tension system for pommel horse	for competition
1184	sheath for chain	Protect the equipments, PVC leather outside ,diameter 2cm XPE material inside












REF	Item	Description
1015	Competition Rings	Competition standard, Height adjustable between 250 and 285cm, distance between rings 50cm, diameter of section of ring 2.8cm, inner diameter of ring 18cm. 
1015-1	Training rings	Wall fixed, height adjustable between 50 and 275cm. 
1016	Quick Adjustable Rings	Height adjustable between 50 and 280cm.
1016-P	Rings & Cable /set	For training.
1031	Rings & Cable /set	For competition, Steel Cable length 204.7cm
1053	Height Adjustable Spotting Platform for rings	protect table dimension: 83x50cm, height adjustable between 140 and 180cm. 
1063	Landing Soft mat	polymeric sponge, Dimensions:200x200x10 cm 
1122	Double tension system for ring	for competition, overall length 870cm
1123	Safety Pads for Rings Posts	Length 200cm, upper width 33cm, under width 51cm, Thickness 5cm




REF	Item	Description
1184	sheath for chain	Protect the equipments, PVC leather outside ,diameter 2cm XPE material inside
1017-1	Competition Floor	<p>Competition standard - Total Area 1400×1400cm, Competition Area 1200X1200cm, import high Quality Non-woven carpet, dimension 1400×200cm, thickness 4cm, With EPDM blocks.</p> 
1017-2	Competition Floor	<p>Competition standard - Total Area 1468x1468cm,Competition Area 1200X1200cm, High Quality Nylon Carpet. With EPDM blocks.</p> 
1213	Completion floor (spring-type)	<p>Overall dimensions: 1400×1400cm, competition area dimensions: 1200×1200cm. Top carpet with 7strips totally, 1400×200cm/per roll, thickness 2.5cm. The second foam layer with 100×100cm/section, thickness 4cm. Bottom plate height of 14.2cm, above the birch plywood, 1.2cm thick, metal spring has been installed.</p> 





REF	Item	Description
1017-p1	Completion floor surface	Total Area 14×14m, thickness 4cm, XPE material bonded with high quality Non-woven carpet. 14×2m per strip, 7pcs, fit to 1017-1.
1017-p2	Completion floor surface nylon carpet	Total Area 14×14m, Competition Area 12X12m, Light milky yellow, the surrounding carpet is 1.34m width, red. 1450kg/m <sup>2</sup> , fit to 1017-2
1017-p3	Completion floor surface XPE elastic layer	1340x1340cm, 30kg/m <sup>3</sup> XPE material, thickness 4cm, connected by Velcro, without carpet. fit to 1017-2
1017-p4	Completion floor plywood bonded EPDM blocks	Dimension 1340×1340cm, Height 102mm, height of plywood 12mm. EPDM blocks: 60×60×90mm, fit to 1017-1 and 1017-2.
1017-3	Completion floor (spring-type)	Competition standard - Total Area 1468x1468cm, Competition Area 1200X1200cm, High Quality Nylon Carpet. With metal spring.
1017-L	Cheer leading floor	Competition standard - Total Area 1300x1300cm, Competition Area 1200X1200cm, thickness 4cm. 
1059	Tumbling track for gymnastics artistic training	Made of carpet and XPE, Dimensions: L1700xW200cm, height: 14.5cm.
1101	Rhythmic floor	<b>FIG approved.</b> Dimensions: 1400X1400cm, Competition Area: 1300X1300cm, 1250g/m <sup>2</sup> nylon carpet. 
1101-1	Carpets for rhythmic floor	Dimensions: 1400X1400cm, 1250g/m <sup>2</sup> nylon carpet.
1301	Sports aerobic floor	Dimensions: 12.5 x 12.5 m. Height: 7 cm.

REF	Item	Description
		<p>High elasticity surface.  Uniform performance area.  Excellent absorption of vibration shocks.  Fast, easy assembly and dismantling.  Edges easy to attach.  Constructed using a system of waved-edge panels fitted with resilient foam cells and 4 rapid tensioning straps. The panels stay together perfectly, providing excellent elasticity and uniformity of the floor. The perimeter markings provide a reliable visual indication of the performance area.</p> 
1445	Wushu floor	<p>External dimensions 1800 × 1200cm, competition area size 1400 × 800cm. With 1750g / square meter nylon carpet.</p> 
1067	Competition Springboard (Hard version)	<p>Competition standard, 120x60x22 cm, with 9HDI tapered springs.</p> 
1067-1	Training springboard	<p>Training aids. 240x45x41cm with HDI springs..</p>
1119	Springboard safety mat	<p>Ideal for the safety of gymnasts, especially when performing round-off vaults. Fits all springboards.  Dimensions: 120×100×20 cm.</p>






REF	Item	Description
		
1119-1	anti-slip mat for Springboard	Dimensions: 200x100x2.5cm
1119-3	anti-slip board for Springboard	Dimensions: 130x100cm, anti-slip PVC in bottom, covered with anti-slip carpet.
1141	Competition Springboard (Soft version)	Competition standard, 120x60x22 cm, with 7 HDI tapered springs. 
1142	Small springboard	Dimensions: 60x101.6x22 cm. 
1143	Spring board for kids	Just for kids,dimension 50x76x16cm, made of high quality plywood,sponge and carpets. Only 2 springs.
1020-2	Landing mats for floor Pommel Horse	Dimension: 400x200x10cmx2pcs, Thickness: 10cm, total area:16m <sup>2</sup>
1032	Competition Landing Mats for Horizontal Bars	Dimension: 300x200x20cmx4 pcs, Competition standard Thickness: 20cm, total area:24m <sup>2</sup>
1032-1	Competition Landing Mats for Horizontal Bars	Competition standard. Dimension: 300x200x20cmx4 pcs, 597x50x20cmx2 pcs(they are conjoint), Thickness: 20cm, total area:36m <sup>2</sup> . 
1034	Competition Landing Mats for Vaulting Table	Competition standard, Dimension: 260x200x20cmx3 pcs, Thickness: 20cm, total area:15 m <sup>2</sup>



REF	Item	Description
		
1035	Competition Landing Mats for Pommel Horse	<p>Competition standard, Dimension: 400×200×10cm×2 pcs, Thickness: 10cm, total area:16 m<sup>2</sup></p> 
1036	Competition Landing Mats for Rings	<p>Competition standard, Dimension: 300×200×20cm×1 pc, 100×200×20cm×2 pcs, Thickness: 20cm, total area:10 m<sup>2</sup>.</p> 
1039	Competition Landing Mats for Uneven Bars	<p>Dimension: 300×200×20cm×4 pcs, 200×200×20cm×1pcs, Competition standard, Thickness: 20cm, total area:28 m<sup>2</sup>.</p> 
1040	Competition Landing Mats for Balance Beam	<p>Competition standard, Dimension: 300×200×20cm×2 pcs, 200×200×20cm×7pcs, 100×200×20cm×1pc, 100×150×20×4pcs, Thickness: 20cm, total area:50 m<sup>2</sup>.</p> 
1124	Competition Landing Mats for Parallel Bar	<p>Competition standard, Dimensions: 300×200×20cm×1 pc, 200×200×20cm×1 pc, 210×200×20cm×2 pcs, 260×200×20cm×4 pcs, 260×70×13.5cm×1 pc, 209×70×6.5cm×1 pc. Thickness: 20cm, total area:41m<sup>2</sup>.</p>





REF	Item	Description
		
1033-1	Landing mats of Competition Buck	Thickness of 10cm, a total area of 9 square meters, PVC cover, cushion material for the polyurethane and XPE foam.
1130	Mat	Dimension: 150x100x6 cm
1131	Hard Mat	Dimension: 200x100x6 cm, core is high density compressed sponge 120kg/m3.
1132	landing mat	4cm EVA and foam, 300x200x20 cm
1168	Crash mat	Dimension: 300x200x20 cm
1169	Crash mat	Dimension : 250x200x20 cm
1170	Crash mat	Dimension: 200x100x20 cm
1171	Crash mat	Dimension: 125x100x20 cm
1136	Crash mat	Dimension: 300x200x30 cm
1140	Crash mat	Dimension: 150x100x20 cm
1167	Crash mat	Dimension: 200x200x20 cm
1052	Handstand Bouncer	Height adjustable between 100 and 150cm Length of low bar 166 cm, adjustable Width 
1052-1	Handstand Bouncer with 1 column	Height adjustable between 100 and 150cm Length of low bar 166 cm, single column 
1022-D	Competition Mushroom	Diameter 60cm, height adjustment range of 50-60cm, PU leather.





REF	Item	Description
		
1033	Competition Buck	Length 50cm, width 35cm, height 70-90cm, leather cover.
1013-D	Pommel horse (no handle)	Leather cover, frame height adjustable 70-90cm, the horse and the ground with a fixed connecting device, the metal frame electrostatic spraying.
1188	Balance trainer	Exercise for balancing skills. Overall dimensions: length 90.5cm, width 87cm, height 53.5cm, balance plate thickness of 18mm, ground clearance 25cm, size 40 * 60cm. 
1064	Seven layer vaulting box	Length 122cm, the top width of 38cm, the bottom width of 78cm, the total height of 125cm. 
1064-1	Five layer vaulting box	Length 102cm, the top width of 35cm, the bottom width of 64cm, the total height of 105cm. 
1065	Gym block	Dimensions: 75x45x60 cm







REF	Item	Description
		
1066	Gym block	Dimensions: 90x75x60 cm 
1116	protecting frame for gymnastic equipments	height 550cm, width 240cm
1113	Training runway	Training aids of Artistic gymnastic floor. Dimensions: 1700x200cm, height 18.5cm, use metal spring as the elastic material.
1094	Rings Strength Machine	Length 250 cm, the low end height 50cm,height adjustable between 75 and 120cm 
1120	Parallettes (pair)	length 70cm height 18.8cm 
1120-1	Parallettes(pair)	length 50cm height 18.8cm 





REF	Item	Description
1174	Spotting Rope for pulley spotting system	Chinlon rope, diameter <b>12mm</b> . 
1175	Spotting Belt	length 112cm.
1175-1	Safety belt kit	Including single, double pulley, safety rope, safety hooks, protection belt.
1176	Twisting Spotting Belt(small size)	Inner diameter: 31cm. 
1176-3	Twisting belt kit - Small size	Twisting belt, the inner diameter of 31cm. Biaxially twist, aluminum alloy material. Including single, double pulley, safety rope, safety hooks, protection belt.
1176-1	Twisting Spotting Belt(middle size)	Inner diameter: 37cm
1176-4	Twisting belt kit - Middle size	Twisting belt, the inner diameter of 36cm. Biaxially twist, aluminum alloy material. Including single, double pulley, safety rope, safety hooks, protection belt.
1176-2	Twisting Spotting Belt(big size)	Inner diameter: 42cm
1176-5	Twisting belt kit - Large size	Twisting belt, the inner diameter of 42cm. Biaxially twist, aluminum alloy material. Including single, double pulley, safety rope, safety hooks, protection belt.
1177	Pulley for Spotting system	Include one single pulley and one double pulley, length 15cm, dimension of pulley is 3cm
1444	climbing ropes	diameter 3.8cm
1070	gym chalk	one box of 288pcsx56g, one package of 36boxes.





REF	Item	Description
		
1069	Chalk bowl	<p>Lightweight, with carrying handle. Easy for gymnast to wipe chalk in order to skid resistance. The semi circular bowl prevents chalk spillage.</p> 
1068	Rosin plate	<p>Athletes can cairu to the rosin plate, so that the sole stained with rosin or magnesium to prevent slipping. plate size of 30 × 30cm, side height 5cm, wear made of hardwood, surface varnish.</p> 
1102	Floor anchor	<p>Diameter 5.2cm, height adjustable between 13 and 18cm.</p> 
1443	Gymnastics bench	<p>Wooden bench, length 200cm, width 24cm, height 30cm, foldable.</p>

REF	Item	Description
		
1502	Movable barre	<p>Training barre, bar diameter 55mm, made by 22mm spring steel cover quality Ash wood, the total length of 4m. Frame surface spray, height adjustable 85-115cm. Cast iron base, the diameter 43cm.</p> 
K-01	Happy kids floor	<p>Dimension 2 x 12 x 0.03m , can be spliced into large floor, including Velcro.</p> 
K-02	Happy kids parallel bars	<p>Height adjustable between 1.3 and 1.7m, width adjustable. Rail length 180cm.</p> 
K-03	Happy kids horizontal bar	<p>Height adjustable between 1.3 and 1.7m, length of rail 1.80m.</p>





REF	Item	Description
		
K-04	Landing mats Combination of Happy kids gymnastics equipment	<p>356 x 150 x 16cm x 4pcs/set, the core is 28kg/m<sup>3</sup>foam.</p> 
K-05	Happy kids foam Vaulting Table	<p>Top width 38cm, bottom width 90cm, length 1.2 m, height of 0.3-1.2 m, the core is PU foam.</p> 
K-06	Happy kids spring board (S)	<p>Training aids for kids, dimension 50x90x16cm, made by high quality plywood covered sponge and carpet, 2 pcs springs.</p> 
K-07	Happy kids beam	<p>Trapezoidal cross-section, length 400cm, height 30cm, the top width 20cm and the bottom width 30cm, core is soft PU foam.</p>





REF	Item	Description
		
K-08	Happy kids landing mat	<p>Dimension 150 x 200 x 20cm , made by PVC fabric and the core is XPE foam and sponge.</p> 
K-09	Happy kids trampoline	<p>Frame dimension 327 x327cm, black plastic jumping bed dimension 270 x 270cm, 104 pcs springs. Trampoline height 60cm, the safety net height 180cm.</p> 
K-10	Happy kids foam board	<p>Dimension 60X50X10cm, made by PVC fabric and the core is hard sponge.</p>






REF	Item	Description
		
K-11	Happy kids Rings	<p>Height adjustable between 120 and 150cm distance between two rings 50cm.</p> 
K-12	Happy kids Uneven Bars	<p>Low Bar Height adjustable between 90 and 130cm, High Bar Height adjustable between 130 and 170cm. Width adjustable. Rail length 180cm.</p> 
K-13-1	Happy kids Circle	<p>Outside circle 130cm, inside circle 75cm, width 50cm, height 65cm, include A+B 2 half circle parts.</p> 






REF	Item	Description
K-13-2	Happy kids Cylinder	Dimension $\Phi 75 \times 50$ cm. 
K-14	Happy kids Tent	Length 120cm, bottom width 60cm, top width 15cm, height 50cm. 
K-15	Happy kids Vault Blocks	Length 120cm, bottom width 90cm, top width 40cm, height 120cm. 
K-16	Happy kids adjustable Cylinder	$\Phi 75 \times 50$ cm with gaps. 
K-17	Happy kids Teardrop	Length 90cm, width 50cm, height 42cm.











REF	Item	Description
		
K-18	Happy kids Foldable Rectangle	<p>Include 4 pcs mats of Length 60cm, width60cm, height 4cm.</p> 
K-19	Happy kids Stair	<p>Length 80cm, width 50cm, height 60cm, 3 steps, each height 20cm</p> 
K-20	Happy kids Vaulting Blocks	<p>Length 120cm, width 60cm, height 20cm* 1pc; length 60cm, width60cm, height 20cm* 2pcs; length 40cm, width 60cm, height 20cm* 3pcs.</p> 
K-21	Happy kids Octagon (large)	<p>Length 80cm, width 45cm, height 45cm.</p>






REF	Item	Description
		
K-22	Happy kids Rectangular	<p>Length 120cm , width 30cm , height 30cm, which can be supporting the use of K-30.</p> 
K-23	Happy kids Panel mat	<p>Include 4 pcs mats of length 120cm, width 60cm, height 4cm.</p> 
K-24	Happy kids Wedge (small)	<p>Length 150cm, width 80cm, one side's height 40cm, the other side's height 8cm.</p> 
K-25	Happy kids Long half cylinder	<p>Length 100cm, width 40cm, height 20cm.</p>






REF	Item	Description
		
K-26	Happy kids Wedge (large)	Length 100cm, width 60cm, height 50cm. 
K-27	Happy kids Rectangular Block (small)	Length 60cm, width 40cm, height 25cm. 
K-28	Happy kids Stairs (3-steps)	Length 120cm, width 60cm, height 75cm. the height of each stair is 25cm. 
K-29	Happy kids Stairs (2-steps)	Length 80cm, width 60cm, height 75cm. first stair height 25cm and the second stair height 50cm. 

REF	Item	Description
		
K-30	Happy kids Arch (small)	Length 90cm,width 30cm, height 60cm. 
K-31	Happy kids Rectangular Block (large)	Length 100cm,width 60cm, height 50cm. 
K-32	Happy kids Octagon (small)	Length 50cm, width 35cm, height 35cm. 
K-33	Happy kids Foldable Wedge	Length 200cm,width 60cm, height 45cm, Foldable Wedge. 





REF	Item	Description
K-34	Happy kids Inflatable Cylinder	<p>Ø50cm,length 220cm.</p> 
K-35	Happy kids Arch (large)	<p>Outside circle Ø160cm, inside circle Ø20cm, width 30cm, height 80cm.</p> 
K-36	Happy kids Slope	<p>Length 80, width 60cm, height 20cm.</p> 
K-37	Happy kids Ramp	<p>Bottom length 100cm, top length 30cm, width 50cm, one side's height 50cm, the other side's height 20cm.</p> 
K-38	Happy kids Half Oval	<p>Length 60cm, width 40cm, height 45cm.\</p>





REF	Item	Description
		
K-39	Happy kids Vault	<p>Length 100cm, bottom width 80cm, top width 40cm, height 95cm.</p> 
K-40	Happy kids mini-tramp (Round)	<p>Frame diameter 101.5mm, height 22cm, with 34 springs, the jumping bed in working condition diameter 77cm, made by plastic material, black.</p> 
K-41	Happy kids balance beam	<p>Length 366cm, height adjustable from 70 to 110cm. the beam made by aluminum, all material consistent with the competition balance beam.</p> 
K-42	Landing mats for Happy kids balance beam	<p>Overall size length 600cm, width 300cm, thickness 20 cm. Include 4 pcs mats of length 300cm, width 150cm, thickness 20cm, connection between them by Velcro.</p>





REF	Item	Description
		
k-43	Happy kid running and jumping set	<p>Dimension 70/120* 635cm, it is include 10 pc jumping strips with different color; each strips size is 80X10X15cm. It can be a good help children practice bounces.</p> 
K-45	Boulder Back handspring trainer (S)	<p>Dimension 78 x 50 x 65cm.</p> 
K-45-P	Base for Boulder(S)	<p>The Stable base dimension 78 x 50cm.</p> 
K-46	Boulder Back handspring trainer(M)	<p>Dimension 100 x 70 x 87cm.</p> 
K-46-P	Base for Boulder(M)	<p>The Stable base dimension 95 x 70cm.</p>





REF	Item	Description
		
K-47	Boulder Back handspring trainer(L)	Dimension 116 x 80 x 99cm. 
K-47-P	Base for Boulder(L)	The Stable base dimension 104 x 80cm 
XMK-01	X-Cylinder	Dimension:Φ34X160 cm. 
XMK-02	X- Rectangle block (middle)	Length160cm , width 60cm , thickness 4cm. 
XMK-03	Base block of X- Cylinder	Length 60cm , width 30cm , height 50cm , diameter of middle groove 35cm.












REF	Item	Description
		
XMK-04	X- Hollow cylinder	Outer diameter 58cm, inner circle diameter 36cm, height 76.5cm. 
XMK-05	Base of X- Hollow cylinder	Length 76.5 cm , width 28.5 cm , height 59 cm , diameter of middle groove 59cm. 
XMK-06	X-Slides	Length 87.5cm, width 56.5cm, width of slide 46.5cm, height 50cm. 
XMK-07	X- Stairs (4-steps)	Length 87.5cm, width 60cm, total height 50cm, height of each step 12.5cm.





REF	Item	Description
		
XMK-08	X-Stairs connecting block	Length 70cm, width 60cm, height 50cm. 
XMK-09	X-Wave Stairs	Length 80cm, width 60cm, height 50cm. 
XMK-10	U-shaped base	Length 50cm, width 30cm, height 60cm. 
XMK-12	X- Rectangle mats (small)	Length 120cm, width 60cm, height 4cm.





REF	Item	Description
		
XMK-13	X-Ring mat	Outer diameter 120 cm, inner circle diameter 60 cm, height 30 cm. 
XMK-14	Base block of X-Ring mat	Length 80cm, width 60cm, height 30cm. 
XMK-15	X- Wedge	Length 60cm, width 56.5cm, height 5cm/33cm. 
1075	Kids trampoline(small)	Length 220cm, width 90cm, height 22.5cm, dimension of jumping bed in working is length 194cm, width 64cm.

REF	Item	Description
		
1078	Kids trampoline(middle)	Length 295 cm, width 183 cm, height 42 cm, dimension of jumping bed in working is length 235 cm, width 123cm. 
1004-1	Children parallel bars	Length 1.85m, width 0.6m, height 0.3m. 
1004-2	Children parallel bars	Length 1.85m, width 0.6m, height 0.45m
1004-3	Children parallel bars	Length 1.85m, width 0.6m, height 0.6m
1088	Competition Rod Tumbling Strip with Matting and Landing Zone	Competition standard - 4220 X 200X30cm, the main runway composed of fiberglass rods. Run-up area 1100x100cm.Landing Zone: 300x600x30cm. 
1088-p1	Competition Rod only	Standard, dimension 2.8 X 2.5cm.
1090	Complete layer	Dimension: 2520x200x6.5cm XPE with non-woven carpet
1090-1	Top layer	Dimension: 2520x200x3.5cm XPE with non-woven carpet
1090-2	Bottom layer	Dimension: 2520x200x3cm





REF	Item	Description
1008-4	landing zone	Dimension: 600×300×30cm
1008-3	Landing soft mat of Competition Rod Tumbling Strip	Competition standard, Dimensions: 400×200×10 cm, Polyester sponge.
1071-5	Complete Competition Trampoline	FIG approved, dimension 910x305x115 cm ,4x5 mm nylon jumping bed, with safety tables, mats, and one pair lifting roller stands, double supports.118 springs. 
1071-4	Complete Competition Trampoline	FIG approved, dimension 910x305x115 cm ,4x4 mm nylon jumping bed, with safety tables, mats, and one pair lifting roller stands, double supports.118 springs. 
1071	Complete Competition Trampoline	Dimension: 910x305x115 cm ,4x6 mm nylon jumping bed, with safety tables, mats, and one pair lifting roller stands, double supports.118 springs. 
1151	Gaofei Complete Trampoline	Dimension:910x305x115 cm ,6x6 mm nylon jumping bed, with safety tables, mats, and one pair lifting roller stands, double supports.118 springs.

REF	Item	Description
		
1152	Competition Trampoline frame	Dimension: 518x305x115 cm, 4x6 mm nylon jumping bed, with one pair lifting roller stands, without safety tables and mats, double supports. 
1152-1	Competition Trampoline frame	Dimension: 518x305x115 cm, 4x5 mm nylon jumping bed, with one pair lifting roller stands, without safety tables and mats, double supports. 
1152-2	Competition Trampoline	Dimension: 518x305x115 cm, 4x4 mm nylon jumping bed, with one pair lifting roller stands, without safety tables and mats, double supports. 
1153	Competition trampoline frame(with webbed bed)	Dimension: 518x305x115 cm, 6x6 mm nylon jumping bed, with one pair lifting roller stands, without safety tables and mats, double supports.118 springs 
1153-1	Safety table of GAOFEI trampoline	Trampoline safety table without safety mats, Dimension: 260x176x115cm. 
1159	Master trampoline	457x275x97cm, 13x13mm nylon jumping bed



REF	Item	Description
		
1154	Push mat for trampoline	Dimension: 150×100×8cm 
1154-1	Push mat for trampoline	Dimension: 170×110×10cm 
1155	Pads for frame	Thickness 5cm
1156	Belts for trampoline	Dimension: 438×228cm
1156-1	Landing mats for competition trampoline	Thickness 20cm, total area 64m <sup>2</sup>
1156-2	Landing mats for competition trampoline (2 trampoline combination)	Thickness 20cm, total area 102m <sup>2</sup> , the combination made of 17 3 × 2 × 0.2M mats.
1157	Trampoline Spotting Platform	Length 350cm, thickness 38cm
1205	Inclined Safety Mats	Dimension: 300×240×20cm 
1207	Trampoline Protector	Height 670cm, spanning over trampoline, fitted with pulley, rope and spotting belt.
1208	Anti-slip plate	Dimension: 40×30×3.5cm
1079	Standard Mini-tramp	Frame 126×126 cm, Jumping bed 70×70 cm, 6x6mm nylon web bed Frame Pads, 40 springs.






REF	Item	Description
		
1079-1	Inclined trampoline	<p>Frame 126×126cm, jumping bed 70×70cm, 6x6mm nylon web bed, 40 springs</p> 
1079-2	open-end-mini-tramp	<p>Frame 120×120cm, Jumping bed 70x56 cm, 13x13 mm nylon web, 32 springs.</p> 
1081	Vault trampoline	<p>Frame size 136X100cm, one end close ground and the one end height adjustment, range 27-34cm, the jumping bed size 93X57cm, total 52pcs of spring.</p> 
1095	Open-End-Mini-tramp	<p>6x6mm nylon jumping bed, frame pads, Length: 140cm, Width: 130cm, Net: 90x64 cm, Height adjustable between 40 and 60cm, 28 springs, foldable.</p>




REF	Item	Description
		
1096	Double Mini-tramp with roller	<p>FIG approved. Competition standard Jumping bed 285 x 92 cm, frame 340x 190 x (70+45) cm, with roller stands.</p> 
1216	Diving trampoline	<p>Dimension: 700x300x150cm, 13x13 mm nylon jumping bed.</p> 
1086	Trampoline track non foldable	<p>Length 2000 cm, length of each section 200cm. width 200cm, height 59cm, width of jumping bed 140cm, equipped with trolley, the jumping bed made of Black plastic materials. <b>(Other lengths can be customized)</b></p> 
1087	Trampoline track non foldable	<p>Length 2000 cm, length of each section 200cm. width 200cm, height 59cm, width of jumping bed 140cm, equipped with trolley, made of PVC Grid materials. <b>(Other lengths can be customized)</b></p>

REF	Item	Description
		
1072	Jumping bed	Dimension: 428x214 cm, 4x6 mm nylon jumping bed, with arch bars
1072-1	Jumping bed	Dimension: 428x214 cm, 4x5mm nylon jumping bed, with arch bars
1072-2	Jumping bed	Dimension: 428x214 cm, 4x4mm nylon jumping bed, with arch bars
1072-3	Jumping bed	Dimension: 428x214 cm, 6x6mm nylon jumping bed, with arch bars
1072-4	Jumping bed	Dimension: 428x214 cm, 13x13mm nylon jumping bed, with arch bars
1073-6	Jumping bed	Dimension: 366x183cm, 6x6mm nylon jumping bed, with arch bars
1073-12	Jumping bed	Dimension: 366x183cm, 13x13mm nylon jumping bed, with arch bars
1074-1	Jumping bed	Dimension: 285x92 cm, 13x13 mm nylon jumping bed, include arch bars
1145	Jumping bed	Dimension: 70x70 cm, 6x6mm nylon jumping bed
1150	jumping bed for Open-End-Mini-tramp	6x6 mm nylon web, jumping bed 97x69cm
1150-1	jumping bed for Open-End-Mini-tramp	13x13 mm nylon web, jumping bed 70x56cm
1152-4-P	jumping bed for Open-End-Mini-tramp	6x6 mm nylon web, jumping bed 70x60cm
1163	jumping bed for Open-End-Mini-tramp	Net 70x60 cm, 13x13mm nylon web bed
1164	jumping bed for trampoline track	13x13 mm nylon web, width 140cm
1158	jumping bed for double mini tramp	13x13 mm nylon web, jumping bed 285x92cm
1158-1	jumping bed for master trampoline	13x13 mm nylon web, jumping bed 366X183cm
1076	complete trampoline springs	FIG approved, 110 middle springs, dimension $\Phi 3 \times \Phi 29 \times 256$ mm, 8 big springs, dimension

REF	Item	Description
		Φ4×Φ40×264mm Æ3×Æ29×256mm 110pcs Æ4×Æ40×264mm 8pcs
1076-1	trampoline springs	FIG approved 0.3×2.9×25.7cm
1076-3	trampoline springs	FIG approved 0.4×4×26.4cm
1076-2	trampoline springs	FIG approved 0.25×2×14.5cm
1076-4	padding lift	FIG approved 0.5×40.7cm
1096-P	springs for double-mini-tramp	FIG approved Φ0.307×Φ2.9×22.9cm
1097	Complete DMT Springs	Spring set of FIG approved DMT REF1096. 98 middle springs, dimension Φ0.307×Φ2.9×22.9cm, 6 big springs, dimension Φ4×Φ40×264mm.
1148	springs for mini-tramp	Dimension: Φ0.35×3.2×18.5cm
1215	Spring for Trampoline track	Dimension: Φ0.38×Φ3.05×18.3cm
1173	Springs for springboard(large size)	Dimension: 6.3×110/42.5×197×8.75, for REF 1141 and 1067
1173-1	Spring of Spring board (Middle size)	Specifications: 6.3 × 110 / 42.5 × 180 × 8.65mm, for REF 1141 and 1067
1173-2	Spring of Spring board (Small size)	Specifications: 6.6 × 108 / 44.5 × 140 × 7.4mm, for REF 1141 and 1067
3002	Inflatable cylindrical pad	Can be connected to the inflatable rectangular pad to do the inverted practice. Size: diameter 0.5m × 1m. 
3003	Inflatable Pommel/trampoline pad	Can be connected to the vault or trampoline, is conducive to increase flexibility, can also be used alone. Size: 1.5x1.5x0.2m 

REF	Item	Description
3004	Inflatable springboard	Can be connected to the help springboard, increase flexibility, can also be used alone. Size: 1.2x0.6x0.1m 
3005	Inflatable rectangle pad(10cm small size)	Put on the inflatable pad For tumbling exercise. Dimension: 2x1x0.1m 
3006	Inflatable rectangle pad(20cm small size)	Put on the inflatable pad For tumbling exercise. Dimension: 2x1x0.2m 
3007	Inflatable rectangle pad(10cm mid size)	Put on the inflatable pad For tumbling exercise. Dimension: 3x1.5x0.1m. 
3008	Inflatable rectangle pad(10cm big size)	Put on the inflatable pad For tumbling exercise, Dimension: 4x2x0.1m. 
3009	Inflatable inclined pad ( 30cm small size)	Can be used as jumping mat for mini tramp, Dimension: 1.5x1x0.3m

REF	Item	Description
		
3010	Inflatable inclined pad ( 40cm mid size)	Can be assembled with other landing mat, Dimension: 2x1.5x0.4mt 
3011	Inflatable inclined pad ( 60cm big size)	Can be assembled with other apparatus like asymmetric bars, Dimension: 2x1.5x0.6m 
3012	Air pump	Regular. 
1217-1	Air track	Dimension: 10*1.55*0.1m
1217-2	Air track	Dimension: 20*1.55*0.1m
1217-3	Air track	Dimension: 24*2.05*0.2m 
1217-4	Air track	Dimension: 12*2.05*0.2m

REF	Item	Description
		